# VACCINE EMERGENCY RESPONSE PLAN

## \*\*\*Post on the outside of the refrigerator or in a conspicuous place for all staff to see\*\*\*

| Provider/Clinic Name       | PIN      |
|----------------------------|----------|
|                            |          |
|                            |          |
| Primary VFC Contact        | Phone    |
| Thinally the Contact       | 1 110110 |
|                            |          |
| Secondary VFC Contact      | Phone    |
| Sociality in a contact     | 1 110110 |
|                            |          |
| Person with 24-hour access | Phone    |
| Total marz riodi docco     | 1 110110 |
|                            |          |

**For a Power Outage:** If you do not have a generator, identify at least one location with a generator (hospital, 24-hour store, etc.). Before transporting, call the back-up location site to ensure that their generator is working.

| Location #1   | Contact Person | Phone                 |  |  |
|---|----------------|-----------------------|--|--|
| Location #2   | Contact Person | Phone                 |  |  |
| How will you be notified of an outage?  |                |                       |  |  |
| Vaccines must be transported in an insulate ice/cold packs. Varicella, MMRV and zoste do not transport vaccine. |                |                       |  |  |
| Location where dry ice may be purchased _   |                |                       |  |  |
| If your emergency back-up location is more vaccine, consider renting a refrigerated true                        |                | e a large quantity of |  |  |
| Refrigeration Company   |                | Phone                 |  |  |
| Other Resources:  |                |                       |  |  |
| Local Health Agency   |                | Phone                 |  |  |
|   |                |                       |  |  |

### Check and Record Refrigerator and Freezer Temperatures Twice Daily.

- ▶ Once in the morning, when the practice opens.
- ▶ Once in the afternoon to allow for adjustments prior to the time the clinic closes.
- ► Temperatures may be taken and recorded by clinic staff, but **must** be reviewed and initialed weekly by either the primary or secondary VFC contact person to ensure appropriate temperatures are maintained or necessary actions are taken if temperatures are out of range.

What to do if a power failure occurs, the refrigerator door was left open, the temperature was too cold, the refrigerator plug was pulled, or any other situation which would cause improper storage conditions:

- 1. Close the door and/or plug in the refrigerator/freezer.
- 2. Record the current temperature of the refrigerator/freezer.
- 3. If the emergency is a power outage, contact the electric company to determine the length of the outage. If the outage is estimated to be less than four (4) hours, it is not necessary to transport the vaccine. **Ensure refrigeration unit doors remain closed.**
- 4. Store the vaccines at appropriate temperatures. Make sure that the refrigerator/freezer is working properly or move the vaccines to a unit that is. Do not automatically throw out the affected vaccine. Mark the vaccine so that the potentially compromised vaccines can be easily identified.
- 5. Collect essential data on the reverse side of this sheet and notify the Missouri VFC Program at (800-219-3224).
- 6. Call all manufacturers of affected vaccines (see table on the reverse side of this sheet).

1

# Missouri Vaccine for Children

|                                      | EMERGENCY RE                                  | ESPO  | NSE WORKSI                   | <b>HEET</b> |              |                 |  |  |
|--------------------------------------|---|-------|------------------------------|-------------|--------------|-----------------|--|--|
| Current temperature of refrigerator: |   | _     | Max/min temperature reached: |             |              |                 |  |  |
| 2. Current temperature of freezer:   |   | _     |                              |             |              |                 |  |  |
| 3. Time temperature was              | 3. Time temperature was outside normal range: |       | -                            |             |              |                 |  |  |
|                                      | REFR  | RIGEF | RATOR                        |             |              |                 |  |  |
| Vaccine                              | Manufacturer                                  |       | No. of Doses                 | Lot N       | lumber       | Expiration Date |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      | E   | REEZ  | /<br>/ED                     |             |              |                 |  |  |
| Vaccine                              | Manufacturer                                  | REEZ  | No. of Doses                 | Lot Nu      | mber         | Expiration Date |  |  |
| Vaccine                              | Mariaractarci                                 |       | No. of Boses                 | Lot Nu      | IIIDCI       | Expiration Bate |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
|                                      |   |       |                              |             |              |                 |  |  |
| Other useful information             | າ:  |       |                              |             |              |                 |  |  |
| _                                    |   |       | Contact P                    | Person      | Tel          | ephone Number   |  |  |
| 5 ( (1) 10                           | Bur. of Immunization                          | 1     |                              |             |              |                 |  |  |
| Dept. of Health and Senior Services  | Assessment and Assurance                      | ,     | VFC Program Staff            |             | 573-751-6124 |                 |  |  |
| Sellioi Selvices                     | Field Staff                                   |       |                              |             |              |                 |  |  |
|                                      | Representative                                |       |                              |             |              |                 |  |  |
| National Weather                     | •   |       |                              |             |              |                 |  |  |
| Service                              | www.nws.noaa.gov/                             |       |                              |             |              |                 |  |  |
| Vaccine Manufacturers                | GlaxoSmithKline                               |       | 866-475-8222                 |             | -475-8222    |                 |  |  |

800-822-2463 800-637-2579 800-982-7482 (Varicella)

800-572-8221

800-244-7668

877-633-4411

2 Revised 9/07

Local Radio Station(s)

**Local Utility Provider** 

**Local TV station** 

Sanofi Pasteur

Merck Wyeth

**Novartis** 

MedImmune